



University of the
West of England

BRISTOL

Nash, K. (2018) *3D printed, self-glazed ceramics: An investigation inspired by Egyptian faience*. PhD, University of the West of England. Available from: <http://eprints.uwe.ac.uk/29682>

We recommend you cite the published version.

The publisher's URL is:

<http://eprints.uwe.ac.uk/29682/>

Refereed: No

(no note)

Disclaimer

UWE has obtained warranties from all depositors as to their title in the material deposited and as to their right to deposit such material.

UWE makes no representation or warranties of commercial utility, title, or fitness for a particular purpose or any other warranty, express or implied in respect of any material deposited.

UWE makes no representation that the use of the materials will not infringe any patent, copyright, trademark or other property or proprietary rights.

UWE accepts no liability for any infringement of intellectual property rights in any material deposited but will remove such material from public view pending investigation in the event of an allegation of any such infringement.

PLEASE SCROLL DOWN FOR TEXT.

List of figures

Figure 1: The action research cycle.....	pg.10
Figure 2: A flow diagram of the four phase research methodology.....	pg.11
Figure 3: Jewellery elements for a broad collar faience necklace.....	pg.23
Figure 4: Djoser faience tile, Old Kingdom.....	pg.23
Figure 5: Scarab amulet with wings.....	pg.24
Figure 6: Faience Djed Pillar	pg.24
Figure 7: Lotiform Cup	pg.25
Figure 8: Was-sceptre, Egyptian faience	pg.26
Figure 9: The movement of glaze material for all three faience glazing techniques	pg.35
Figure 10: Faience Jewellery by Amy Waller	pg.39
Figure 11: Isabel K-J Denyer: Egyptian paste, porcelain and silver necklace	pg.40
Figure 12: Egyptian paste and steel sculpture by Deborah Sigel	pg.41
Figure 13: 19th century pill making machine	pg.45
Figure 14: Small and large beads made from silica paste	pg.45
Figure 15: A slab of silica paste rolled out ready for modelling.....	pg.46
Figure 16: The workers use metal frame moulds to make various designs.....	pg.46
Figure 17: Multiple negative steel moulds for buttons.....	pg.47
Figure 18: Unfired buttons made from silica paste	pg.47
Figure 19: Cementation glazed spherical beads	pg.48
Figure 20: Cementation glazed buttons, small and large sizes	pg.48
Figure 21: Cementation glazed amulets and ornaments	pg.49
Figure 22: Cementation glazed salt dishes and ornaments.....	pg.49
Figure 23: Cross section of a Qom bead obtained in 2011 and its capsule.....	pg.52
Figure 24: Iranian faience bead thought to have been glazed through the cementation method..	pg.52
Figure 25: Cementation glazed bead from Qom obtained in the 1980's.....	pg.53
Figure 26: Two-part terracotta mould used to produce Nu Shabtis by Z. Tajeddin	pg.56
Figure 27: Nu shabtis by Z. Tajeddin. Fired pieces glazed through efflorescence	pg.56
Figure 28: The Djed-pillar by Z. Tajeddin. Fired and glazed through efflorescence.	pg.58
Figure 29: Egyptian Faience Vessel.....	pg.60
Figure 30: Pie chart showing the industries served by Additive Manufacturing.....	pg.70
Figure 31: Pie chart showing the range of applications for Additive Manufacturing....	pg.70
Figure 32: A schematic of the Powder binder 3D Printing process	pg.73

Figure 33: A schematic of the fused deposition modelling (FDM) process.....	pg.76
Figure 34: Virtual potter's wheel, created using a 3D scanner and digital design software for l'Artisan Electronique by Unfold Studio.	pg.81
Figure 35: Extruded pots: l'Artisan Electronique by Unfold Studio.....	pg.81
Figure 36: Icebergs By Jonathan Keep. Objects formed through 3D paste extrusion....	pg.82
Figure 37: Objects formed through faience 3D paste extrusion (2012).....	pg.83
Figure 38: Tureen by Michael Eden, 3D printed, ceramic coated Tureen (2008)	pg.84
Figure 39: Firing curve of the program used for efflorescence extrusion trials	pg.90
Figure 40: Paste development trail 1: identification of best percentage china clay addition	pg.91
Figure 41: Geometric beads. Poppy red stain (2.5%)	pg.93
Figure 42: 'Figure of 8' bead	pg.93
Figure 43: Various beads	pg.94
Figure 44: Efflorescing hippo.....	pg.96
Figure 45: Big vase and small vase	pg.96
Figure 46: Various extruded objects in a range of colours	pg.97
Figure 47: Cactus green stained body - material extruded through a 0.5mm diameter nozzle.....	pg.98
Figure 48: Microwave kiln and faience bead.....	pg.100
Figure 49: Faience beads; 3D printed using paste extrusion. Fried in a microwave kiln	pg.101
Figure 50: Vases	pg.104
Figure 51: Cementation glazed object (blue) surrounded by capsule that forms as part of the process.	pg.112
Figure 52: Illustration of silica migration and capsule formation in cementation process	pg.112
Figure 53: Left, paint can and metal mixing stars. Right, paint can loaded into paint shaker for vigorous mix.....	pg.115
Figure 54: Firing curves for the regular and slow firing schedules.....	pg.117
Figure 55: 3D printed saggar with test discs made from BR1-3	pg.121
Figure 56: Fired test discs fused to surrounding glaze powder	pg.121
Figure 57: Fired test pieces cementation glazed in GP2.....	pg.124
Figure 58: Underside of flint: fused silica test piece after firing	pg.124
Figure 59: Hand formed objects fired in glaze powder containing calcium hydroxide	pg.127

Figure 60: Hand formed objects glazed in glaze powder containing calcium carbonate	pg.127
Figure 61: Photographs of stages 1 – 6 of the Cementation 3D printing process	pg.130
Figure 62: 3D printed bead fired in a ceramic saggar and fired in GPR 3	pg.133
Figure 63: A mixture of 3D printed beads glazed in GPR3 using a mixture of copper carbonate and cobalt oxide	pg.133
Figure 64: 3D printed bead fired in glaze powder containing 35% sodium carbonate addition.....	pg.137
Figure 65: 3D printed bead fired in glaze powder containing 20% sodium carbonate addition.....	pg.137
Figure 66: 3D printed bead fired in glaze powder containing 17.5% sodium carbonate addition.....	pg.138
Figure 67: 3D printed hippo amulet fired in glaze powder containing 15% sodium carbonate addition	pg.138
Figure 68: 3D printed bead fired in glaze powder containing 12.5% sodium carbonate addition.....	pg.139
Figure 69: 3D printed bead fired in glaze powder containing 10% sodium carbonate addition.....	pg.139
Figure 70: Donkey beads cementation glazed in coloured glaze powders. Left to right, top row to bottom row; Chromium oxide, manganese carbonate, cobalt carbonate, and iron oxide	pg.142
Figure 71: Cementation glazed 3D printed scarab coated in transparent glaze	pg.144
Figure 72: 5% stained body (left) 10% stained body (right), cementation glazed.....	pg.146
Figure 73: Batch 1 - Beads fired between 920°C-1000°C fired at 10°C increments	pg.149
Figure 74: Batch 2 - Beads fired between 1005°C-1045°C fired at 5°C increments	pg.149
Figure 75: Percentage shrinkage of cementation glazed objects fired at different peak temperatures.....	pg.151
Figure 76: The friable glaze powder is removed from around the goblet	pg.155
Figure 77: The goblet is carefully removed from the saggar	pg.155
Figure 78: Fired saggar containing large necklace – still surrounded by the glaze powder	pg.156
Figure 79: Necklace removed from saggar with glaze powder adhesion present on one side	pg.156
Figure 80: The brightly glazed hippo is revealed within the saggar	pg.157

Figure 81: Glazed Hippo.....	pg.157
Figure 82: Saggar containing fired lattice pyramid	pg.158
Figure 83: 3D printed, cementation glazed lattice pyramid	pg.158
Figure 84: Cross sections of objects 3D printed in recipes BR4 -BR6.....	pg.161
Figure 85: Objects made using BR6 recipe	pg.161
Figure 86: Bisque firing schedule, time against temperature.....	pg.164
Figure 87: Single fired hippo statuette	pg.166
Figure 88: Hippo statuette, bisque fired to 1190°C and then cementation glazed	pg.166
Figure 89: Scarab beetles, 3D printed in cementation glazed.	pg.167
Figure 90: 3D printed beads, cementation glazed in GP2 mixture.....	pg.168
Figure 91: Lattice pyramid, 3D printed in cementation body BR5 and then cementation glazed in GP2 glaze mixtue	pg.170
Figure 92: Lattice pyramid, 3D printed in cementation body BR5, bisque fired to 1190°C and then cementation glazed in GP2 glaze mixture	pg.170
Figure 93: LUDOX infiltrated 3D printed hippo statuette, cementation glazed.....	pg.173
Figure 94: Multiple cementation glazed scarabs - infiltrated with LUDOX solution ...	pg.174
Figure 95: Multiple hippo statuettes – infiltrated with LUDOX solution.....	pg.174
Figure 96: 3D printed Parian body unfired (background) and fired (foreground).....	pg.178
Figure 97: Fishpig object being fabricated using the powder binder process.....	pg.206
Figure 98: Cementation glazed Fishpig	pg.206
Figure 99: 3D printed, cementation glazed Lattice pyramids	pg.208
Figure 100: Photograph of a piece of Turquoise (left), a cementation glazed 3D printed scarab (middle).....	pg.208
Figure 101: 3D printed, cementation glazed necklace	pg.209
Figure 102: 3D printed, LUDOX Infiltrated, cementation glazed bead, contained within its glaze capsule	pg.210
Figure 103: 3D printed, LUDOX Infiltrated, cementation glazed scarabs	pg.210
Figure 104: Left, paint can and metal mixing stars. Right, paint can loaded into paint shaker for vigorous mix.....	pg.213
Figure 105: Firing curve of the program used for efflorescence powder binder trials	pg.214
Figure 106: 3D printed tiles fabricated in efflorescence body (EB1a) before firing	pg.219
Figure 107: 3D printed tiles fabricated in efflorescence body (EB1a) after firing to 950° C	pg.219

Figure 108 Cross section of 3D printed tiles fabricated in efflorescence body (EB1a) after firing	pg.219
Figure 109: Tiles subjected to different re-wetting conditions; sets 1-3. 3D printed in efflorescence body EB1b	pg.222
Figure 110: Cross section of 3D printed tile built in efflorescence body EB1b, fired to 950°C.....	pg.222
Figure 111: Tiles made in EB1b body with 3% cobalt oxide fired between 825°C – 1025 °C	pg.225
Figure 112: Tiles made in EB1b body with 15% Crimson stain fired between 825°C – 1025 °C	pg.225
Figure 113: Tiles made in EB1b body with 15% yellow stain, fired between 825°C – 1025 °C	pg.225
Figure 114: New objects being printed in crimson Eb1b body	pg.232
Figure 115: Unfired objects in different coloured bodies	pg.232
Figure 116: Fired ibis amulets	pg.233
Figure 117: Reverse side of amulets	pg.233
Figure 118: Cross section of Ibis amulet printed in EB1b (cobalt).....	pg.234
Figure 119: Cross section of hippo statuette printed in EB1b (crimson)	pg.234
Figure 120: Broad collar necklace, Middle Kingdom.....	pg.235
Figure 121: New Kingdom lotus flower inlay	pg.236
Figure 122: 3D model of wide and narrow bead design.....	pg.237
Figure 123: 3D printed, self-glazed and single fired Egyptian inspired necklace	pg.238
Figure 124: Cross section of the beads that make up the 3D printed, self-glazed and single fired Egyptian inspired necklace	pg.239
Figure 125: Firing curve of the program used for efflorescence slip	pg.243
Figure 126: Standing hippopotamus statuette	pg.245
Figure 127: 3D model of hippo statuette	pg.245
Figure 128: Side view of a 3D printed ceramic hippo coated in a faience slip.	pg.246
Figure 129: Front view of a 3D printed ceramic hippo coated in a faience slip	pg.246
Figure 130: Faience slip applied to various 3D printed ceramic objects.....	pg.248
Figure 131: Faience slip applied to Ibis amulet dried in ambient conditions.....	pg.248
Figure 132: Faience slip applied to Ibis amulet oven dried	pg.248

Image credit and references for images produced by persons other than K. Nash

Figure 3: Jewellery elements for a broad collar: © *Metropolitan Museum of Art*. (2015) Available from: <https://www.metmuseum.org/toah/works-of-art/31.114.2a> Gift of Mrs. John Hubbard and Egypt Exploration Society, 1931 [Accessed 11 June 2015]

Figure 4: Djoser tile: *Los Angeles Museum of Art, Wikimedia Commons*. (2013) Available from: https://commons.wikimedia.org/wiki/File:Tile_LACMA_M.80.198.100.jpg Gift of Frank J. and Victoria K. Fertitta [Accessed 15 December 2015]

Figure 5: Scarab amulet with wings: © *Australian Museum of Art*. (2012) Available from: <http://australianmuseum.net.au/image/ancient-egyptian-scarab-amulet-with-wings> [Accessed 11 June 2015]

Figure 6: Faience Djed Pillar: © *Metropolitan Museum of Art*. (2015) Available from: <http://www.metmuseum.org/toah/works-of-art/89.2.539> [Accessed 11 June 2015]

Figure 7: Lotiform cup: © *Metropolitan Museum of Art*. (2015) Available from: <http://www.metmuseum.org/toah/works-of-art/26.7.971> [Accessed 11 June 2015]

Figure 8: Was-sceptre: © *Victoria and Albert Museum*. Available from: <http://www.vam.ac.uk/users/node/3936> [Accessed 02 December 2015]

Figure 9: Glaze movement schematic by P. Walters: adapted from image by Vandiver, P. (2008) *Raw materials and fabrication methods used in the production of Faience* [Schematic] In: Shorthand, A.J and Tite, M.S (2008) *Production technology of Faience and early related vitreous material*. Oxford pg 48. Available from: Peter2.Walters@uwe.ac.uk

Figure 10: Faience Jewellery by Amy Waller: *Amy Waller pottery*. Available from: <https://squareup.com/market/amywallerpottery> [Accessed 02 December 2015]

Figure 11: Egyptian paste, porcelain and silver necklace: *Isabel K-J Denyer Ceramics and Necklaces*. Available from: <http://isabeldenyer.co.uk/work/product/necklace-3> [Accessed 15 June 2015]

Figure 12: Egyptian paste and steel sculpture: *Deborah Sigel*. Available from: <http://www.millersville.edu/~jpannafino/dsigel/work.html> [Accessed 15 June 2015]

Figure 13: 19th Century Pill making machine: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 14: Small and large beads made from silica paste: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 15: A slab of silica paste: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 16: Metal frame moulds for modelling: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 17: Multiple steel moulds for modelling: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 18: Unfired buttons made from silica paste: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 19: Cementation glazed spherical beads: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 20: Cementation glazed buttons: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 21: Cementation glazed amulets and ornaments: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 22: Cementation glazed salt dishes: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 23: Cross section of a bead produced in Qom: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 24: Iranian faience bead: R. K, Liu (2009) *Donkey Beads-Iranian and Egyptian Faience*. Available from: <http://www.beadazzled.net/reference-print.php?id=229> [Accessed 02 December 2015]

Figure 25: Cementation glazed bead from 1980's: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 26: Terracotta mould used to produce faience shabti: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 27: Fired Nu Shabtis: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 28: The Djed Pillar: Tajeddin, Z. (2014) *Egyptian Faience; Ancient Making Methods and Consideration of Technical Challenge in Sculptural Practice*. PhD, University College London

Figure 29: Egyptian faience Vessel: Walters Art Museum, Baltimore. Wikimedia Commons (2015) Available from: https://en.wikipedia.org/wiki/Egyptian_faience [Accessed 17 December 2015]

Figure 30: Pie chart showing the industries served by Additive Manufacturing: By K. Nash. Adapted from chart presented in: *Additive Manufacturing, turning mind into matter; Industries Evaluation and Recommendations Report* (2013) Available from: <http://sierracollegelearning.com/uploads/201307/sierra-college-cact-additive-manufacturing-report-and-recommendations-may2013.pdf> [Accessed 17.01.16]

Figure 31: Pie chart showing the range of applications for Additive Manufacturing: By K. Nash. Adapted from chart presented in: *Additive Manufacturing, turning mind into matter; Industries Evaluation and Recommendations Report* (2013) Available from: <http://sierracollegelearning.com/uploads/201307/sierra-college-cact-additive-manufacturing-report-and-recommendations-may2013.pdf> [Accessed 17.01.16]

Figure 32: A schematic of the Powder binder 3D Printing process by P. Walters: Image available from: Peter2.Walters@uwe.ac.uk

Figure 33: A schematic of the fused deposition modelling (FDM) process: FDM by Zureks.png (2008) Available from: https://commons.wikimedia.org/wiki/File:FDM_by_Zureks.png [Accessed 17.01.16]

Figure 34: Extruded pots: *l'Artisan Electronique* by Unfold Studio (2010) Available from: <http://unfold.be/pages/l-artisan-electronique> [Accessed 17.01.16]

Figure 35: Virtual potters wheel: *l'Artisan Electronique* by Unfold Studio (2010) Available from: <http://designplaygrounds.com/deviants/lartisan-electronique-by-unfold-studio/> [Accessed 17.01.16]

Figure 36: Icebergs by Jonathan Keep: *Johnathan Keep Art* (2016) Available from: <http://www.keep-art.co.uk/index.htm> [Accessed 17.01.16]

Figure 37: Extruded faience objects: *Johnathan Keep Art* (2016) Available from: http://www.keep-art.co.uk/journal_2.html [Accessed 17.01.16]

Figure 38: 3D printed, ceramic coated Tureen: By Michael Eden (2008) Available from: <http://wedgwoodnt.blogspot.com> [Accessed 17.01.16]

Figure 51: Cementation glazed object (blue) surrounded by capsule: Matin, M. and Matin, M. (2012) Egyptian faience glazing by the cementation method part 1: an investigation of the glazing powder composition and glazing mechanism. *Journal of Archaeological Science*. 39 (3), pp. 763-776

Figure 52: Silica migration diagram: Matin, M. and Matin, M. (2012) Egyptian faience glazing by the cementation method part 1: an investigation of the glazing powder composition and glazing mechanism. *Journal of Archaeological Science*. 39 (3), pp. 763-776

Figure 120: Broad collar necklace: © Metropolitan Museum of Art (2016) Available from https://commons.wikimedia.org/wiki/File:Broad_collar_necklace_of_Wah.jpg [Accessed 23rd January 2016]

Figure 121: New Kingdom lotus flower inlay: *Wikimedia Commons* (2013) Available from: [https://commons.wikimedia.org/wiki/File:Floral_Inlay -
_Egypt, probably el Amarna, New Kingdom, late Dynasty 18, reign of Akhenaten,
c. 1352-1336 BC, polychrome faience - Brooklyn Museum - Brooklyn, NY -
_DSC08719.JPG](https://commons.wikimedia.org/wiki/File:Floral_Inlay_-_Egypt,_probably_el_Amarna,_New_Kingdom,_late_Dynasty_18,_reign_of_Akhenaten,_c._1352-1336_BC,_polychrome_faience_-_Brooklyn_Museum_-_Brooklyn,_NY_-_DSC08719.JPG) [Accessed 23rd January 2016]

Figure 126: FiuStanding Hippopotamus: © *Metropolitan Museum of Art* (2015) Available from: <http://www.metmuseum.org/collection/the-collection-online/search/544227?rpp=30&pg=1&ft=faience+hippo&pos=1> [Accessed 11 June 2015]